

[8P.020] Improvements to the PHENIX Muon **Tracking** Efficiency ... the two gamma-rays from the decay of the π^0 in order to infer the pion **kinematics**. ...
flux.aps.org/meetings/YR03/DNP03/baps/abs/S900.html - 84k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 3,870 for **hybrid kinematics simulation conti**

All Results

[P Fritzson](#)

[B Zeigler](#)

[V Kumar](#)

[J Esposito](#)

[C Paredis](#)

... -a general object-oriented language for **continuous** and discrete-event system modeling and **simulation** - group of 5 »

P Fritzson, P Bunus - **Simulation** Symposium, 2002. Proceedings. 35th Annual, 2002 - [ieeexplore.ieee.org](#)

... language constructs and corresponding discrete and **hybrid** simple **simulation** ... As an introduction to the Modelica **continuous** time **simulation** capabilities we ...

Cited by 17 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

A hybrid numerical method for solving the inverse kinematics of a class of spatial flexible ...

YQ Dai, AA Loukianov, M Uchiyama - Robotics and Automation, 1997. Proceedings., 1997 IEEE ..., 1997 - [ieeexplore.ieee.org](#)

... Using this HNM, numerical **simulation** is conducted on a spatial ... In this paper, a **hybrid** numerical method (HNM) is proposed ... (5) when the inverse **kinematics** is to ...

Cited by 4 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

A hybrid systems approach toward modeling and dynamical simulation of dextrous manipulation - group of 3 »

T Schlegl, M Buss, G Schmidt, SVDOA AG, G ... - Mechatronics, IEEE/ASME Transactions on, 2003 - [ieeexplore.ieee.org](#)

... V. S IMULATION R ESULTS The **hybrid** model (29 ... imple- mented within the M ATLAB **simulation**

environment as ... **Kinematic** and dynamic parameters of the artificial hand ...

Cited by 2 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Use of hybrid models for testing and debugging control software for electromechanical systems - group of 2 »

K Kondo, M Yoshida - Mechatronics, IEEE/ASME Transactions on, 2005 - [ieeexplore.ieee.org](#)

... integrated with a three- dimensional **kinematics** **simulator** and a ... design tool to create a **simulator**-based testing and ... KONDO AND YOSHIDA: USE OF HYBRID MODELS FOR ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

The SOPHY framework: Simulation, Observation and Planning in Hybrid Systems - group of 4 »

KK Laursen, MF Pedersen, JD Bendtsen, L Alminde - **Hybrid** Intelligent Systems, 2005. Fifth International ..., 2005 - [ieeexplore.ieee.org](#)

... 6. **Simulation** of five hovercraft with **hybrid** speed and ... a model of spacecraft rigid body dynamics and **kinematics**. ... time used to set up the **simulation** (start the ...

Cited by 1 - [Related Articles](#) - [Web Search](#)

SIMULATION AND CONTROL OF HYBRID SYSTEMS WITH APPLICATIONS TO MOBILE ROBOTICS - group of 4 »

JM Esposito - 2002 - [cis.upenn.edu](#)

... the second level, Eq.(1.4), some **kinematic** constraints are ... be to reproduce the trajectories of Hierarchical **Hybrid** ... is a need for **simulation** techniques specific ...

Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Simulation of a Hybrid Locomotion Robot Vehicle - group of 3 »

P Aarnio - 2002 - [automation.it.hut.fi](#)

... These algorithms are related to **kinematics** and the force ... The **hybrid** locomotion robot


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **hybrid model kinematic continuous transition**

Found 63 of 193,448

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)

Display results


[Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 63

 Result page: [1](#) [2](#) [3](#) [4](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Generating embedded software from hierarchical hybrid models](#)



Rajeev Alur, Franjo Ivancic, Jesung Kim, Insup Lee, Oleg Sokolsky

 June 2003 **ACM SIGPLAN Notices , Proceedings of the 2003 ACM SIGPLAN conference on Language, compiler, and tool for embedded systems LCTES '03**, Volume 38 Issue 7

Publisher: ACM Press

 Full text available: pdf(355.95 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Benefits of high-level modeling and analysis are significantly enhanced if code can be generated automatically from a model such that the correspondence between the model and the code is precisely understood. For embedded control software, *hybrid systems* is an appropriate modeling paradigm because it can be used to specify continuous dynamics as well as discrete switching between modes. Establishing a formal relationship between the mathematical semantics of a hybrid model and the actual ...

Keywords: code generation, embedded software, formal language, hybrid system, modularity

2 [Courses: An introduction to sketch-based interfaces](#)



Joseph LaViola, Randall Davis, Takeo Igarashi

 July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

 Full text available: pdf(31.58 MB) Additional Information: [full citation](#), [abstract](#)

Sketch-based interfaces are a natural, pencil-and-paper-like approach to interacting with a variety of applications, including conceptual modeling, animation, and note-taking systems. This course offers an in-depth discussion of sketch-based interface design, ranging from simple gestural commands to complex sketch-understanding systems. Attendees will learn how these interfaces are designed and how to develop their own.

3 [Modular design and verification of component-based mechatronic systems with online-reconfiguration](#)



Holger Giese, Sven Burmester, Wilhelm Schäfer, Oliver Oberschelp

 October 2004 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 12th ACM SIGSOFT twelfth international symposium on Foundations of software engineering SIGSOFT '04/FSE-12**, Volume 29 Issue 6

Publisher: ACM Press

 Full text available: pdf(449.52 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The development of complex mechatronic systems requires a careful and ideally verifiable design. In addition, engineers from different disciplines, namely mechanical, electrical and

software engineering, have to cooperate. The current technology is to use block diagrams including discrete blocks with statecharts for the design and verification of such systems. This does not adequately support the verification of large systems which improve the system behavior at run-time by means of online re ...

Keywords: components, hybrid systems, real-time, reconfiguration, unified modelling language (UML)

4 Facial modeling and animation



Jörg Haber, Demetri Terzopoulos

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(18.15 MB\)](#) Additional Information: [full citation](#), [abstract](#)

In this course we present an overview of the concepts and current techniques in facial modeling and animation. We introduce this research area by its history and applications. As a necessary prerequisite for facial modeling, data acquisition is discussed in detail. We describe basic concepts of facial animation and present different approaches including parametric models, performance-, physics-, and learning-based methods. State-of-the-art techniques such as muscle-based facial animation, mass-s ...

5 Computing curricula 2001



September 2001 **Journal on Educational Resources in Computing (JERIC)**

Publisher: ACM Press

Full text available: [pdf\(613.63 KB\)](#) [html\(2.78 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 The elements of nature: interactive and realistic techniques



Oliver Deussen, David S. Ebert, Ron Fedkiw, F. Kenton Musgrave, Przemyslaw Prusinkiewicz, Doug Roble, Jos Stam, Jerry Tessendorf

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(17.65 MB\)](#) Additional Information: [full citation](#), [abstract](#)

This updated course on simulating natural phenomena will cover the latest research and production techniques for simulating most of the elements of nature. The presenters will provide movie production, interactive simulation, and research perspectives on the difficult task of photorealistic modeling, rendering, and animation of natural phenomena. The course offers a nice balance of the latest interactive graphics hardware-based simulation techniques and the latest physics-based simulation techni ...

7 Level set and PDE methods for computer graphics



David Breen, Ron Fedkiw, Ken Museth, Stanley Osher, Guillermo Sapiro, Ross Whitaker

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(17.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#)

Level set methods, an important class of partial differential equation (PDE) methods, define dynamic surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course begins with preparatory material that introduces the concept of using partial differential equations to solve problems in computer graphics, geometric modeling and computer vision. This will include the structure and behavior of several different types of differential equations, e.g. the level set eq ...

8 Collision detection and proximity queries

Sunil Hadap, Dave Eberle, Pascal Volino, Ming C. Lin, Stephane Redon, Christer Ericson

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

**Publisher:** ACM PressFull text available: pdf(11.22 MB) Additional Information: [full citation](#), [abstract](#)

This course will primarily cover widely accepted and proved methodologies in collision detection. In addition more advanced or recent topics such as continuous collision detection, ADFs, and using graphics hardware will be introduced. When appropriate the methods discussed will be tied to familiar applications such as rigid body and cloth simulation, and will be compared. The course is a good overview for those developing applications in physically based modeling, VR, haptics, and robotics.

9 Courses: Interactive shape editing

Marc Alexa

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06****Publisher:** ACM PressFull text available: pdf(11.32 MB) Additional Information: [full citation](#), [abstract](#)

The state of the art in digital modeling techniques, both in commercial software and academic research. The goal of this course is to give attendees an understanding of the big open questions and the skills to engineer recent research in interactive shape-modeling applications.

10 SmartATMS: a simulator for air traffic management systems

Tak-Kuen John Koo, Yi Ma, George J. Pappas, Claire Tomlin

December 1997 **Proceedings of the 29th conference on Winter simulation****Publisher:** ACM PressFull text available: pdf(840.06 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**11 An asynchronous integration and event detection algorithm for simulating multi-agent hybrid systems**

Joel M. Esposito, Vijay Kumar

October 2004 **ACM Transactions on Modeling and Computer Simulation (TOMACS),**

Volume 14 Issue 4

Publisher: ACM PressFull text available: pdf(299.01 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A simulation algorithm is presented for multi-agent hybrid systems---systems consisting of many sets of nonsmooth differential equations---such as systems involving multiple rigid bodies, vehicles, or airplanes. The differential equations are partitioned into coupled subsystems, called "agents"; and the conditions which trigger the discontinuities in the derivatives, called "events", may depend on the global state vector. Such systems normally require significant computational resources to si ...

Keywords: Event detection, hybrid systems, multi-agent systems, numerical integration

12 Courses: Performance-driven facial animation

Fred Pighin, J. P. Lewis, George Borshukov, Chris Bregler, Parag Havaladar, Thomas Kang, Jim Radford, Mark Sagar, Steve Sullivan, Tom Tolles, Li Zhang

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06****Publisher:** ACM PressFull text available: pdf(34.74 MB) Additional Information: [full citation](#), [abstract](#)

Performance-driven facial animation (PDFA) has recently been adopted in a number of important entertainment projects. This course describes tracking, cross mapping, and model derivation technologies used in PDFA, and summarizes unresolved issues. Leading researchers and industry specialists present current and forthcoming motion-capture techniques, cross-mapping technologies, and application case studies from important


recent and current projects.

13 Simulation of merge junctions in a dynamically entrained automated guideway transit system

Steven E. Shladover

December 1979 **Proceedings of the 11th conference on Winter simulation - Volume 2**

Publisher: IEEE Press

Full text available:  [pdf\(1.23 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Merge junctions and intersections are the principal capacity limiters and sources of delay in automated guideway transit (AGT) networks. The capacity and delay performance of the merge junctions must be thoroughly understood before an AGT network can be designed. This paper describes the modeling and event-structured Monte Carlo simulation of a single merge junction, having two input lanes and one output lane, operating in a quasi-synchronous network. The simulation described here differs f ...

14 Using discrete event modeling for effective computer animation control

Paul A. Fishwick, Hanns-Oskar A. Porr

December 1991 **Proceedings of the 23rd conference on Winter simulation**

Publisher: IEEE Computer Society

Full text available:  [pdf\(695.31 KB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

15 Software architecture for a constraint-based virtual environment



Terrence Fernando, Norman Murray, Kevin Tan, Prasad Wimalaratne

December 1999 **Proceedings of the ACM symposium on Virtual reality software and technology**

Publisher: ACM Press

Full text available:  [pdf\(887.05 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Virtual environment technology is now beginning to be recognised as a powerful design tool in industrial sectors such as Manufacturing, Process Engineering, Construction, Automotive and Aerospace industries. It offers the ability to visualise a design from different viewpoints by engineers from different design perspectives providing a powerful design analysis tool for supporting concurrent engineering philosophy. A common weakness of the current commercial virtual environments is the lack ...

Keywords: component assembly, constraints, tasks, virtual environments


16 Crowd and group animation



Daniel Thalmann, Christophe Hery, Seth Lippman, Hiromi Ono, Stephen Regelous, Douglas Sutton

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available:  [pdf\(20.19 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

A continuous challenge for special effects in movies is the production of realistic virtual crowds, in terms of rendering and behavior. This course will present state-of-the-art techniques and methods. The course will explain in details the different approaches to create virtual crowds: particle systems with flocking techniques using attraction and repulsion forces, copy and pasting techniques, agent-based methods. The architecture of software tools will be presented including the MASSIVE softwa ...

17 Inverse kinematics positioning using nonlinear programming for highly articulated figures



Jianmin Zhao, Norman I. Badler

October 1994 **ACM Transactions on Graphics (TOG)**, Volume 13 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(2.23 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

An articulated figure is often modeled as a set of rigid segments connected with joints. Its configuration can be altered by varying the joint angles. Although it is straight forward to compute figure configurations given joint angles (forward kinematics), it is more difficult to find the joint angles for a desired configuration (inverse kinematics). Since the inverse kinematics problem is of special importance to an animator wishing to set a figure to a posture satisfying a set of position ...

Keywords: articulated figures, inverse kinematics, nonlinear programming


18 Direct haptic rendering of sculptured models



Thomas V. Thompson, David E. Johnson, Elaine Cohen

April 1997 **Proceedings of the 1997 symposium on Interactive 3D graphics**

Publisher: ACM Press

Full text available:  [pdf\(1.32 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

19 Dynamo: dynamic, data-driven character control with adjustable balance



Pawel Wrotek, Odest Chadwicke Jenkins, Morgan McGuire

July 2006 **Proceedings of the 2006 ACM SIGGRAPH symposium on Videogames sandbox '06**

Publisher: ACM Press

Full text available:  [pdf\(822.64 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

Dynamo (DYNAMIC MOTion capture) is an approach to controlling animated characters in a dynamic virtual world. Leveraging existing methods, characters are simultaneously physically simulated and driven to perform kinematic motion (from mocap or other sources). Continuous simulation allows characters to interact more realistically than methods that alternate between ragdoll simulation and pure motion capture. The novel contributions of Dynamo are world-space torques for increased stability and a we ...

Keywords: animation, motion capture, physical simulation, rag doll

20 Courses: Discrete differential geometry: an applied introduction



Eitan Grinspun, Mathieu Desbrun

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

Full text available:  [pdf\(4.80 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

An introduction to fundamentals of discrete differential geometry (DDG), a nascent area of computational science with exciting simulation and geometry processing applications. Lectures discuss continuous and discrete geometry in the context of cloth, shell, and fluid simulation as well as remeshing and parameterization problems.

Results 1 - 20 of 63

Result page: [1](#) [2](#) [3](#) [4](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

 **Search Results**
BROWSE**SEARCH****IEEE XPLORE GUIDE**

Results for "((hybrid and kinematic and simulation)<in>metadata)"

Your search matched **30** of **1450046** documents. e-mailA maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((hybrid and kinematic and simulation)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **Using hybrid simulation for a quadruped standing leap**
 Wei Hu; Marhefka, D.W.; Krasny, D.P.; Orin, D.E.;
[Intelligent Control and Automation, 2004. WCICA 2004. Fifth World Congress on](#)
 Volume 5, 15-19 June 2004 Page(s):4603 - 4608 Vol.5
[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Hybrid kinematic and dynamic simulation of running machines**
 Wei Hu; Marhefka, D.W.; Orin, D.E.;
[Robotics, IEEE Transactions on \[see also Robotics and Automation, IEEE Tran](#)
 Volume 21, Issue 3, June 2005 Page(s):490 - 497
 Digital Object Identifier 10.1109/TRO.2004.839226
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(328 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Optimization Design of A Hybrid Mechanism Based on Genetic Algorithm**
 Ke Zhang;
[Mechatronics and Automation, Proceedings of the 2006 IEEE International Co](#)
 June 2006 Page(s):2346 - 2351
 Digital Object Identifier 10.1109/ICMA.2006.257698
[AbstractPlus](#) | Full Text: [PDF\(125 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Hybrid control for interactive character animation**
 Shapiro, A.; Pighin, F.; Faloutsos, P.;
[Computer Graphics and Applications, 2003. Proceedings. 11th Pacific Confere](#)
 8-10 Oct. 2003 Page(s):455 - 461
[AbstractPlus](#) | Full Text: [PDF\(463 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☒ 5. **Design and kinematic analysis of a modular hybrid parallel-serial manipu**
 Guilin Yang; Weihai Chen; Edwin Hui Leong Ho;
[Control, Automation, Robotics and Vision, 2002. ICARCV 2002. 7th Internation](#)
 Volume 1, 2-5 Dec. 2002 Page(s):45 - 50 vol.1
 Digital Object Identifier 10.1109/ICARCV.2002.1234788
[AbstractPlus](#) | Full Text: [PDF\(515 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☒ 6. **A unified notation for serial, parallel, and hybrid kinematic structures**
 Thomas, U.; Maciuszek, I.; Wahl, F.M.;
[Robotics and Automation, 2002. Proceedings. ICRA '02. IEEE International Co](#)

Volume 3, 11-15 May 2002 Page(s):2868 - 2873
Digital Object Identifier 10.1109/ROBOT.2002.1013667

[AbstractPlus](#) | [Full Text: PDF\(573 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. Solid modeling of kinematic chains**
Agba, E.I.; Tin-Lup Wong; Huang, M.Z.;
[Advanced Robotics, 1991. 'Robots in Unstructured Environments', 91 ICAR., F](#)
[Conference on](#)
19-22 June 1991 Page(s):959 - 964 vol.2
Digital Object Identifier 10.1109/ICAR.1991.240548
[AbstractPlus](#) | [Full Text: PDF\(344 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☒ **8. A hybrid strategy to solve the forward kinematics problem in parallel mar**
Parikh, P.J.; Lam, S.S.Y.;
[Robotics, IEEE Transactions on \[see also Robotics and Automation, IEEE Tra](#)
Volume 21, Issue 1, Feb 2005 Page(s):18 - 25
Digital Object Identifier 10.1109/TRO.2004.833801
[AbstractPlus](#) | [Full Text: PDF\(560 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **9. Kinematic modelling of multifingered hand's finger gaits as hybrid autom**
Jijie Xu; Zexiang Li;
[Intelligent Robots and Systems, 2005. \(IROS 2005\). 2005 IEEE/RSJ Internatio](#)
[on](#)
2-6 Aug. 2005 Page(s):307 - 312
Digital Object Identifier 10.1109/IROS.2005.1545472
[AbstractPlus](#) | [Full Text: PDF\(472 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. Stable hybrid position/force control for redundant manipulators**
Luya Li; Gruver, W.A.;
[Systems, Man, and Cybernetics, 1997. 'Computational Cybernetics and Simul](#)
[International Conference on](#)
Volume 4, 12-15 Oct. 1997 Page(s):3261 - 3266 vol.4
Digital Object Identifier 10.1109/ICSMC.1997.633114
[AbstractPlus](#) | [Full Text: PDF\(364 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. Hybrid probabilistic RoadMap - Monte Carlo motion planning for closed c**
with spherical joints
Li Han;
[Robotics and Automation, 2004. Proceedings. ICRA '04. 2004 IEEE Internatio](#)
Volume 1, 2004 Page(s):920 - 926 Vol.1
Digital Object Identifier 10.1109/ROBOT.2004.1307267
[AbstractPlus](#) | [Full Text: PDF\(644 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. Motion planning of a bipedal miniature crawling robot in hybrid configur**
Jizhong Xiao; Ning Xi; Dulimarta, H.; Tummala, R.L.;
[Intelligent Robots and System, 2002. IEEE/RSJ International Conference on](#)
Volume 3, 30 Sept.-5 Oct. 2002 Page(s):2407 - 2412 vol.3
Digital Object Identifier 10.1109/IRDS.2002.1041628
[AbstractPlus](#) | [Full Text: PDF\(569 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. General task execution of redundant manipulators with explicit null-moti**
Yonghwan Oh; Chung, W.K.; Youm, Y.;
[Industrial Electronics, Control, and Instrumentation, 1996., Proceedings of the](#)
[IECON 22nd International Conference on](#)
Volume 3, 5-10 Aug. 1996 Page(s):1902 - 1908 vol.3
Digital Object Identifier 10.1109/IECON.1996.570765

[AbstractPlus](#) | [Full Text: PDF\(520 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. The Tricept robot: dynamics and impedance control**
Caccavale, F.; Siciliano, B.; Villani, L.;
[Mechatronics, IEEE/ASME Transactions on](#)
Volume 8, Issue 2, June 2003 Page(s):263 - 268
Digital Object Identifier 10.1109/TMECH.2003.812839
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(500 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☒ **15. Hybrid sliding-mode fuzzy neural network tracking control for a wheeled manipulator**
Meng-Bi Cheng; Ching-Chih Tsai;
[Industrial Technology, 2005. ICIT 2005. IEEE International Conference on](#)
14-17 Dec. 2005 Page(s):944 - 949
Digital Object Identifier 10.1109/ICIT.2005.1600771
[AbstractPlus](#) | [Full Text: PDF\(1144 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **16. Robust Backstepping Tracking Control Using Hybrid Sliding-Mode Nonholonomic Mobile Manipulator with Dual Arms**
Meng-Bi Cheng; Ching-Chih Tsai;
[Decision and Control, 2005 and 2005 European Control Conference. CDC-EC Conference on](#)
12-15 Dec. 2005 Page(s):1964 - 1969
[AbstractPlus](#) | [Full Text: PDF\(3944 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **17. Hybrid robust tracking control for a mobile manipulator via sliding-mode**
Meng-Bi Cheng; Ching-Chih Tsai;
[Mechatronics, 2005. ICM '05. IEEE International Conference on](#)
10-12 July 2005 Page(s):537 - 542
[AbstractPlus](#) | [Full Text: PDF\(338 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **18. Modeling and control alternatives for robots in dynamic cooperation**
de Luca, A.; Mattone, R.;
[Robotics and Automation, 1995. Proceedings., 1995 IEEE International Conference on](#)
Volume 1, 21-27 May 1995 Page(s):138 - 145 vol.1
Digital Object Identifier 10.1109/ROBOT.1995.525276
[AbstractPlus](#) | [Full Text: PDF\(592 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **19. A hybrid integrity solution for precision landing and guidance**
Gold, K.L.; Brown, A.K.;
[Position Location and Navigation Symposium, 2004. PLANS 2004](#)
26-29 April 2004 Page(s):165 - 174
[AbstractPlus](#) | [Full Text: PDF\(616 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **20. Robotic interception of moving objects using an augmented ideal proportional guidance technique**
Mehranderzh, M.; Sela, N.M.; Fenton, R.G.; Benhabib, B.;
[Systems, Man and Cybernetics, Part A, IEEE Transactions on](#)
Volume 30, Issue 3, May 2000 Page(s):238 - 250
Digital Object Identifier 10.1109/3468.844351
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(392 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **21. Adaptive synchronized control for coordination of multirobot assembly**
Dong Sun; Mills, J.K.;

[Robotics and Automation, IEEE Transactions on](#)
Volume 18, Issue 4, Aug. 2002 Page(s):498 - 510
Digital Object Identifier 10.1109/TRA.2002.802229

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1066 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **22. UAV optimal path planning using C-C-C class paths for target touring**
Hong Wong; Kapila, V.; Vaidyanathan, R.;
[Decision and Control, 2004. CDC. 43rd IEEE Conference on](#)
Volume 1, 14-17 Dec. 2004 Page(s):1105 - 1110 Vol.1
[AbstractPlus](#) | Full Text: [PDF\(1920 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **23. Control of cooperative manipulators with passive joints**
Tinos, R.; Terra, M.H.;
[American Control Conference, 2002. Proceedings of the 2002](#)
Volume 2, 8-10 May 2002 Page(s):1129 - 1134 vol.2
Digital Object Identifier 10.1109/ACC.2002.1023171
[AbstractPlus](#) | Full Text: [PDF\(566 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☒ **24. Model-based PID control of constrained robot in a dynamic environment**
Yimin Li; Yeong-Khing Ho; Chin-Seng Chua;
[Control Applications, 2000. Proceedings of the 2000 IEEE International Confer](#)
25-27 Sept. 2000 Page(s):74 - 79
Digital Object Identifier 10.1109/CCA.2000.897402
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **25. Solar observation-based model for multiday predictions of interplanetary arrivals at Earth**
Fry, C.D.; Dryer, M.; Wei Sun; Detman, T.R.; Smith, Z.K.; Deehr, C.S.; Chin-Ci S.-I.; Berdichevsky, D.B.;
[Plasma Science, IEEE Transactions on](#)
Volume 32, Issue 4, Part 1, Aug. 2004 Page(s):1489 - 1497
Digital Object Identifier 10.1109/TPS.2004.833398
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(944 KB\)](#) IEEE JNL
[Rights and Permissions](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 99,600 for **+hybrid +kinematics +tracking +variable**. (0.29 seconds)**[PDF] A Hybrid Numerical Method For Solving The Inverse Kinematics Of A ...**

File Format: PDF/Adobe Acrobat

sated through only one joint **variable**. Conventional. nominal motion **tracking** methods seem to be valid. merely for planar flexible manipulators, unless the ...ieeexplore.ieee.org/iel3/4815/13316/00606869.pdf?arnumber=606869 - [Similar pages](#)**[PDF] Nonlinear control of a continuously variable transmission (CVT ...**

File Format: PDF/Adobe Acrobat

hybrid power split continuously **variable** transmis- sion configudion offers both fized ... tion, and **kinematics** of a power split CVT will be discussed. A ...ieeexplore.ieee.org/iel5/7520/20470/00945903.pdf - [Similar pages](#)

[More results from ieeexplore.ieee.org]

[PDF] System structure and contour tracking for a hybrid motion platform

File Format: PDF/Adobe Acrobat

based on this **hybrid** motion platform was established. Topics. including trajectory construction, trajectory generation, forward. and inverse **kinematics** ...www.springerlink.com/index/PP1HAPD54MB2W7LY.pdf - [Similar pages](#)**[PDF] Hybrid Feedback Control for Path Tracking by a Bounded-Curvature ...**

File Format: PDF/Adobe Acrobat

The model is relevant to the **kinematics** of road vehicles ... reduced **hybrid** automaton can be considered for the path **tracking** problem. ...www.springerlink.com/index/7AQDBV14894NDB87.pdf - [Similar pages](#)**ScienceDirect - Automation in Construction : Development of hybrid ...**[2] Ming Z. Huang, Shou-Hung Ling and Yang Sheng, A study of velocity **kinematics** for **hybrid** manipulators with parallel-series configurations Robotics and ...linkinghub.elsevier.com/retrieve/pii/S0926580504001219 - [Similar pages](#)**Publications about 'Nonlinear Control'****Hybrid Tracking** Control for Spark-Ignition Engines. In Proc. ... Nonholonomic **Kinematics** and Dynamics of the Sphericle. In Proc. IEEE Int. Symp. ...www.piaggio.ccii.unipi.it/newrobotics/robpublications/Keyword/NONLINEAR-CONTROL.html - 56k - [Cached](#) - [Similar pages](#)**Development of Hybrid Control of Electrohydraulic Torque Load ...**(3) Design a forward path controller to ensure the satisfactory **tracking** property of system.The configuration of the **hybrid** controller is as shown in Fig. ...link.aip.org/link/?JDSMAA/124/415/1 - [Similar pages](#)**[PDF] 3-D HYBRID EULERIAN-LAGRANGIAN / PARTICLE TRACKING ACHIVES**

File Format: PDF/Adobe Acrobat

A 3-D **hybrid** particle **tracking**/Eulerian-Lagrangian finite element model was de- ...**Kinematics** and QUICKEST i.e Quadratic Upstream Interpolation for ...https://dspace.mit.edu/bitstream/1721.1/28011/1/26680877.pdf - [Similar pages](#)**[PS] A capturing-tracking hybrid scheme for deflagration discontinuities**

File Format: Adobe PostScript

whether the present capturing-tracking **hybrid** scheme will correctly ... for such a scalar in the context of pre-mixed combustion from the **kinematics** of a ...www.iop.org/EJ/article/1364-7830/1/2/004/ct7204.ps.gz - [Similar pages](#)**Session 8P - Conference Experience for Undergraduates.**